

MODVARA

Custom Furniture - Made to Your Design



DINING & KITCHEN COLLECTION

Bespoke manufacturing for designers, brands, and
project developers.

www.modvara.com



MODVARA is a high-end contract furniture manufacturer. We work with multiple factories specializing in different materials to build any product based on client drawings, renders, or references.

Our Manufacturing Ecosystem



Wood
Furniture
Factory



Metal
Factory



Upholstery
Factory



Outdoor
Factory



How We Work



Share drawings or concept



We refine engineering details




Sampling



Material selection



Production



QC consolidation



Packing & consolidation



Shipping



Freezer Solutions

Single Curved



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Mechanical temperature control;
- Free from maintenance ventilated motor fan for condenser&compressor;
- 2 pieces single curved tempered glass lids with low-E, left and right sliding;
- Standard interior LED illumination;
- White precoated galvanized steel exterior liner;
- White precoated aluminum interior liner;
- Integrated ABS+ aluminum alloy cabinet frame;
- CB CE

Model	SD220Q	SD320Q	SD420Q	SD520Q	SD620Q	SD720Q
Gross volume (L)	163	250	330	410	510	615
Net volume (L)	135	203	282	353	405	530
TDA (Total display area) (m ²)	0.30	0.49	0.57	0.70	0.86	1.13
Temperature	≤-18°C	≤-18°C	≤-18°C	≤-18°C	≤-18°C	≤-18°C
Basket quantity	2	3	4	5	6	7
Dimensions in mm (WxDxH)	730x675x850	1000x675x850	1250x675x850	1500x675x850	1750x675x850	2000x675x850
20'GP Loading Quantity (units)	42	30	24	20	18	16
40'HC Loading Quantity (units)	134	98	80	66	56	50

Freezer Solutions

Double Curved



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Mechanical temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- 2 pieces double curved tempered glass lids with low-E, left and right sliding;
- Standard interior LED illumination;
- White precoated galvanized steel exterior liner;
- White precoated aluminum interior liner;
- Integrated ABS+ aluminum alloy cabinet frame;
- CB CE

Model	SDQ300	SDQ400	SDQ500	SDQ600	SDQ700
Gross volume (L)	273	355	455	545	645
Net volume (L)	203	282	353	405	530
TDA (Total display area) (m ²)	0.49	0.57	0.70	0.86	1.13
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Basket quantity	3	4	5	6	7
Dimensions in mm (WxDxH)	1000x695x850	1250x695x850	1500x695x850	1750x695x850	2000x695x850
20'GP Loading Quantity (units)	30	24	20	18	16
40'HC Loading Quantity (units)	98	80	66	56	50

Website: www.kenkool.com

Freezer Solutions

Flat Glass Top



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Mechanical temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- 2 pieces tempered flat glass lids with low-E, left and right sliding;
- White pre-coated galvanized steel exterior liner;
- White pre-coated aluminum interior liner;
- Integrated ABS+ aluminum alloy cabinet frame;
- CB CE



Model	SD310	SD410	SD510	SD610	SD710
Gross volume (L)	273	355	455	545	645
Net volume (L)	203	282	353	405	530
TDA (Total display area) (m ²)	0.49	0.57	0.70	0.86	1.13
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Basket quantity	3	4	5	6	7
Dimensions in mm (WxDxH)	1000x695x850	1250x695x850	1500x695x850	1750x695x850	2000x695x850
20'GP Loading Quantity (units)	30	24	20	18	16
40'HC Loading Quantity (units)	98	80	66	56	50

Freezer Solutions

Single Curved With Drawer



Product Description:

- High COP compressor for non-CFC refrigerant;
- Superior cooling performance of -25°C below the loading line;
- Dual evaporator system;
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet;
- Electronic temperature control;
- Removable compressor base for easy maintenance;
- 2 pieces curved tempered glass lids with low-E, left and right sliding, for easy access to the merchandise inside;
- Standard interior illumination of 1 piece LED strip;
- Precoated galvanized steel exterior liner;
- CB CE

Model	FS750
Gross volume (L)	635
Net volume (L)	530
Temperature	-25°C
Dimensions in mm (WxDxH)	1996x750x850
20'GP Loading Quantity (units)	12
40'HC Loading Quantity (units)	26

Freezer Solutions

Double Curved With Drawer



Product Description:

- High COP compressor for non-CFC refrigerant;
- Superior cooling performance of -25°C below the loading line;
- Dual evaporator system;
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet;
- Electronic temperature control;
- Removable compressor base for easy maintenance;
- 6 pieces curved tempered glass lids with low-E, up and down sliding, for easy access to the merchandise inside;
- Standard interior illumination of 1 piece LED strip;
- CB CE

Model	FS700	FS800
Gross volume (L)	700	800
Net volume (L)	510	600
Temperature	-25°C	-25°C
Dimensions in mm (WxDxH)	1750x800x925	2000x800x925
20'GP Loading Quantity (units)	12	12
40'HC Loading Quantity (units)	26	26

Island Freezer

Double Sides Sliding



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Electronic temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- 4 pieces curved tempered glass lids with low-E, double sides left and right sliding;
- Standard one row interior LED illumination;
- Precoated galvanized steel exterior liner;
- Embossed aluminum interior liner;
- Integrated plastic cabinet frame;

Model	SDQ1100H
Gross volume (L)	1000
Net volume (L)	641
TDA (Total display area) (m ²)	1.36
Temperature	≤ -18°C
Dimensions in mm (WxDxH)	2000x1000x915
20'GP Loading Quantity (units)	10
40'HC Loading Quantity (units)	22

Island Freezer

Left and Right Sliding

Product Description:

- World famous brand high COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Electronic temperature control;
- Free from maintenance ventilated motor fan for condenser&compressor;
- Curved tempered glass lids with low-E, left and right sliding;
- Standard interior LED illumination;
- Precoated galvanized steel exterior liner and embossed aluminum interior liner;
- Non-cold merchandise shelf with LED illuminated canopy optional;
- Safety strip of anti-collision optional

Model	ZDS120	ZDS147	ZDS200	ZDS160
Cabinet type	Straight cabinet	Straight cabinet	Straight cabinet	End cabinet
Dimensions in mm (WxDxH)	1200x750x850	1470x750x850	2000x750x850	1600x750x850
Net volume (L)	282	353	530	405
Gross volume (L)	340	440	635	490
TDA (Total display area) (m ²)	0.57	0.70	1.13	0.86
Temperature range	≤-18℃	≤-18℃	≤-18℃	≤-18℃
20"GP Loading Quantity	16	14	12	12
40"HC Loading Quantity	48	42	33	39

Island Freezer

Left and Right Sliding



Product Description:

- World famous brand high COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Electronic temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- Curved tempered glass lids with low-E, left and right sliding;
- Standard interior LED illumination;
- Precoated galvanized steel exterior liner and embossed aluminum interior liner;
- Non-cold merchandise shelf with LED illuminated canopy optional;
- Safety strip of anti-collision optional
- Deluxe version optional

Model	ZP14	ZP21	ZP25	ZD18
Cabinet type	Straight cabinet	Straight cabinet	Straight cabinet	End cabinet
Dimensions in mm (WxDxH)	1470x875x835	2115x875x835	2502x875x835	1870x875x835
Net volume (L)	370	580	704	476
Gross volume (L)	474	790	960	683
TDA (Total display area) (m ²)	0.97	1.45	1.74	1.01
Temperature range	≤-18°C	≤-18°C	≤-18°C	≤-18°C
20'GP Loading Quantity (units)	14	12	8	12
40'HC Loading Quantity (units)	42	30	24	33

Website: www.kenkool.com

Island Freezer

Left and Right Sliding



Product Description:

- World famous brand high COP compressor & Non-CFC refrigerant;
- Static cooling system;
- Electronic temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- Curved tempered glass lids with low-E, up and down sliding;
- Standard interior LED illumination;
- Precoated galvanized steel exterior liner and embossed aluminum interior liner;
- Non-cold merchandise shelf with LED illuminated canopy optional;
- Safety strip of anti-collision optional



Model	HN14A/ZTB-U	HN21A/ZTB-U	HN25A/ZTB-U	HW18A/ZTB-U
Cabinet type	Straight cabinet	Straight cabinet	Straight cabinet	End cabinet
Dimensions in mm (WxDxH)	1470x875x835	2115x875x835	2502x875x835	1870x875x835
Net volume (L)	435	570	690	560
Gross volume (L)	474	790	960	683
TDA (Total display area) (m ²)	0.9	1.2	1.5	1.1
Temperature range	≤-18℃	≤-18℃	≤-18℃	≤-18℃
20'GP Loading Quantity (units)	12	14	12	16
40'HC Loading Quantity (units)	26	28	24	34

Website: www.kenkool.com



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Ventilated cooling system;
- Mechanical temperature control;
- Free from maintenance ventilated motor fan for condenser & compressor;
- Double tempered glass door with low-E film;
- Standard one row interior LED illumination;
- Precoated galvanized steel exterior liner and PCM interior liner;
- Recessed handle and adjustable shelves;
- Lock & key optional;
- CB CE

Model	SC160A	SC350
Gross volume (L)	160	330
Net volume (L)	120	300
330ml can capacity	200	372
TDA (Total display area) (m ²)	0.35	0.6
Temperature (°C)	0~10°C	0~10°C
Dimensions in mm (WxDxH)	390x485x1885	550x650x1670
20'GP Load	56	32
40'HC Load	112	68

Cooler Solutions

Upright Beverage Cooler Standard



Product Description:

- High COP compressor & Non-CFC refrigerant;
- Ventilated cooling system;
- Electronic temperature control;
- Free from maintenance ventilated motor fan for condenser&compressor;
- Double tempered glass door with low-E film and self-closing;
- With interior LED illumination;
- Precoated galvanized steel exterior liner and PCM interior liner;
- Recessed handle and adjustable shelves;
- LED illuminated canopy optional;
- Lock & key optional;
- CB CE

Model	SC620	SC920	SC1120	SC1420
Door quantity (pcs)	1	2	2	3
Gross volume (L)	522	793	947	1232
Net volume (L)	410	623	754	974
330ml can capacity	630	980	1120	1540
TDA (Total display area) (m ²)	0.85	1.15	1.40	1.73
Temperature	0~10℃	0~10℃	0~10℃	0~10℃
Dimensions in mm (WxDxH)	756x755x1960	1094x755x1960	1286x755x1960	1640x755x1960
20'GP Loading Quantity (units)	21	15	12	10
40'HC Loading Quantity (units)	45	32	27	21

Website: www.kenkool.com



Product Description:

- LED light at 2 sides
- Digital temperature controller and display;
- Adjustable PVC coated shelves;
- 4 sides double layer tempered glass;
- Adjustable base feet;
- Ventilated cooling system;
- Automatic defrost.

Options:

- LED light at 4 sides;
- 4 castors, front 2 with brakes.

Model	BR-42	BR-62	BR-130	BR-178	BR-239
Gross volume (L)	34	55	130	178	240
Net volume (L)	26	42	108	148	200
330ml can capacity	24	36	120	180	240
TDA (Total display area) (m ²)	0.39	0.60	1.07	1.46	1.94
Temperature	0~12°C	0~12°C	0~12°C	0~12°C	0~12°C
Dimensions in mm (WxDxH)	370x406x630	370x406x800	500x535x1100	500x535x1323	500x535x1600
20'GP Loading Quantity (units)	256	128	76	38	38
40'HC Loading Quantity (units)	665	399	156	78	78

Counter Top

Chocolate Cooler



Product Description:

- One-piece cabinet frame;
- Tempered glass with low-E film, with damper hinge;
- Stainless steel handle;
- High COP compressor with non-CFC refrigerant;
- Mechanical temperature control; Specific shelf for chocolate;
- Adjustable feet;
- Interior LED illumination optional;
- Electronic controller optional;
- Cabinet POP sticker optional;



Model	QKLC18
Gross volume (L)	20
Net volume (L)	18
330ml can capacity	10
TDA (Total display area) (m ²)	0.17
Temperature	0~10℃
Dimensions in mm (WxDxH)	415x415x400
20'GP Loading Quantity (units)	300
40'HC Loading Quantity (units)	750

MODVARA

**Custom
Furniture.
Made for
Visionaries.**

Room 1008, 159 Taohua Street, Guangzhou South
Avenue, Haizhu District, Guangzhou, China (Near Canton Tower

+86 188 1891 8212

francisco@modvara.com

www.modvara.com

